INDEX TO VOLUME 72

A

Abundance, bottom organisms, 56-62
  Reighard's chub, 111-116
Age and growth, bluegills, 180
  brook trout, 44-48
  largemouth black bass, 180
  pumpkinseed sunfish, 180
  Reighard's chub, 108-135
  smelt, 257-362
Alder, 37
  flies, 56-62
Algae, filamentous, effect of fertilizer, 100-101
Allocapnia torontoensis, 37
Alnus incana, 37
Alpine char, taxonomy and habits, 87-88
Ambloplites rupestris, 72-78
Ameiuridae
  Ameiurus, 208, 270
    natalis, 178-186
Amiidae
  Amia calva, 187-196
Amnicola, 278-279; 283
Anaesthesia, carbon dioxide, 25-29
  ether, 26
Angling, restoration of, 189-196
  results, 177-186
  statistics, 207-211
Anguillidae
  Anguilla bostoniensis, 208
Anisoptera, 56-62, 278-279, 283
Amphipoda, 278-279
  Hyallela, 283
Arachnida, 141
Artificial lakes, stocking and management, 204-211
    production, 212-219
  propagation, smallmouth black bass, 233-245
  stocking (see Stocking)
Aspen, 37
Avery Creek, 154

B

Bacterial gill disease, 234
Baetis brunneicolor, 36
  vagans, 36
Ball, Robert C., 177-186, 267-284
Bantam Lake, 136-144
Bass, black, protozoan parasite of, 197
  Kentucky, 214-219
  largemouth black, 77, 214-219, 270-284
    creel census, 204-211
    growth, 68-71
    management, 204-211
    pond production, 220-232
    population study, 178-186, 189-196
    survival, 63-67
  rock, 214-219
  smallmouth black, 77, 214-219
    population study, 189-196
  warmouth, 216-219
  white, 216-219
Bathymetric distribution, Reighard's chub, 108-135
Bay (see under proper name)
Beckman, William C., 72-78
Beetles, 56-62
Bentzel velocity tubs, 36
Bluegill (see under Sunfish)
Bottom fauna, 36-37, 56-62
Bradley Creek, 155
Broadacre Lake, 209
Brook trout (see under Trout)
Brown, C. J. D., 177-186, 267-284
Bullhead, 208, 214-219, 270
  population study, 178-186
Buffalo, 214-219
By-laws and constitution, 288-291
Byers, A. F. (In Memoriam), 18

C

Cacapon River, 234-245
Caddisflies, 36-37, 56-62
Caney Creek, 107
Cannibalism, 220-221
Cantrell Creek, 155
Capnia manitoba, 37
Carbon-dioxide anaesthesia, 25-29
Carp, 214-219
  canned, as diet, 30-31
  "knot-head", 193
  population study, 187-196
Carpsucker, 214-219
Catch, per unit effort, 212-219
Catostomidae
  Catostomus commersonnii, 187-186, 191-194, 270
  Erimyzon sucetta, 178-186, 270
Catfish, blue, 216-219
  channel, 214-219
  mud, 214-219
Cedar, white, 37
Census, creel, 92-96, 150-177, 204-211
  of fishermen, 103-107
Centrarchidae
  Ambloplites rupestris, 72-78
  Huro salmoides, 63-67, 68-71, 77, 101, 178-186, 189-196, 204-211, 270-284
  Lepomis cyanellus, 178-186, 270
    gibbosus, 178-186
    macrochirus, 63-67, 99-102, 178-186, 204-211, 270-284
  Micropterus dolomieu, 77, 189-196, 197-203, 233-245
    salmoides, 197-203
  Pomoxis nigro-maculatus, 187-196
Ceratopogonidae, 141
Certificate of Incorporation, 287
Chara cornata, 136
Charrs, taxonomy and habits, 79-91
Cherokee Reservoir, 212-219
  River, 212-219
Chicamauga Reservoir, 52
Chironomidae, 141-144
  Chironomus, 278-279
  Tanytarsus, 137-144
Chub, Reighard's; age, growth, distribution, 108-135
Cladocera
  Daphnia, 137-144
  Hyallela, 137-144, 276-278, 283
  Leptodora, 137-144
Clinch River, 107
Coefficient of condition, 75-78
    brook trout, 48-50
    Reighard's chub, 123-130
  of correlation, 225
Coleoptera, 56-62
  Sialis, 141

Colloidal phosphate, as fertilizer, 227-228
Committees, members of, 4-5
Condition, coefficient of (See coefficient of condition)
Constitution and by-laws, 288-291
Copepoda, 141
Coregonidae
Leucichthys alpenae, 109
hoyi, 109
johannae, 109
kiyi, 109
nigripinnis, 109
reighardi, 108-135
zenithicus, 109
Corethara, 278-279
Correlation, coefficient of, 225
growth and weight, 225-226
Cost of stocked fish, 211
Cottonseed meal, as fertilizer, 97-102, 224-225
Cottidae
Cottus bairdii, 37-40
Cove Creek, 154
Crappie, black; population study, 187-196
Crayfish, 56-62
Creek (see under proper name)
Creel census, 92-96, 150-157, 204-211
Cyclops, 276-278
Cyprinidae
Cyprinus carpio, 187-196
Notemigonus crysoleucas, 101-102, 178-186, 208, 270
Notropis cornutus, 178-186, 270
heterodon, 178-186, 270
heterolepis, 178-186, 270
Pimephales promelas, 194

D

Damselflies, 56-62
Daniel Ridge Creek, 154
Daphnia, 137-144, 276-278
Darter, Iowa, 270
population study, 270
Davidson River, trout management, 154-176
Decapoda, 56-62
DeLacy, Allan C., 79-91
Density, effect on growth, 72-78
Derris root, (see Rotenone)
Dinobryon, 276
Dinoflagellates, 276
Diptera, 56-62
Chironomus, 278-279
Corethra, 278-279
Distribution, bathymetric; Reighard's chub, 108-135
bottom organisms, 56-62
Dobson flies, 57-62
Dogfish, population study, 187-196
shark, 264-266
Dolly Varden charr; taxonomy and habits, 85-88
Dragonflies, 56-62
Drum, 216-219

E

Earthworms, 56-62
East Twin Lake; population studies, 187-196
Editing manuscripts, instructions, 309-312
Eel, 208
Elasmobranchii, 263-266
Emory River, 107
Entomostraca
Copepoda, 141
Cyclops, 276-278
Daphnia, 276-278
Gammarus, 278-279
Hyallela, 137-144, 276-278, 283
Ostracoda, 141
Ephemerella invaria, 36
Ephemeroptera, 56-62, 141-144
Baetis brunneicolor, 36
vagans, 36
Ephemerella invaria, 36
Hexagenia bilineata, 56-62
Paraleptophlebia, mollis, 36
Erimyzon sucetta, 178-186, 270
Eschmeyer, R. W., 103-107
Esocidae
Esox lucius, 187-196, 263-266
vermiculatus, 178-186, 208, 270
Ether anaesthesia, 26

F

Feeding habits, charrs, 86-89
white perch, 136-144
Fertilizer, cottonseed meal, 224-225
organic, 97-102, 225-226
inorganic, 97, 224
Fertilization, lakes, 211
ponds, 64-65, 223-232
Fin regeneration; brown trout, 231-232
Fish (see under family, genus, or common name)
Fish, Frederic F., 25-29
Fishing intensity, 103-107, 246-256
Flatworms, 57-62
Food organisms; effect of rotenone, 283
Forest (see under proper name)
Fork Creek, 154
Fort Loudoun Reservoir, 52
French Broad River, trout management, 154-176
Frost, Terrence P., 257-262
Fry production, 236-241
Fundulus, sp., 70

G

Gage, Simon Henry, 263-266
Gambusia sp., 67, 70
Gammarus, 278-279
Gar, long-nosed, 214-219
Gill disease, bacterial, 234
Goelet, Robert W. (In Memoriam), 18
Grand Coulee Dam, 25-29
Great Bay, 257-262
Growth; largemouth bass, 68-71
Reighard's chub, 108-135
compensation, 121-123
in weight, 75-78
rate, rock bass, 72-78
Golden shiner, effect of fertilizer, 101-102
Gum Swamp Lake, 208
Guntersville Reservoir, 245-246
Grogan Creek, 154
Gyraulus, 278-279

H

Habits of charrs, 79-91
Hatchery technique, 145-149
Hay as fertilizer, 229
Heacox, Cecil, 231-232
Hexagenia bilineata, 59-62
Hirudinea, 56-62
Holston River, 52, 103-107, 212-219

Honey Creek, 268-269
Huro salmoides, 63-67, 68-71, 77, 101, 178-186, 189-196, 204-211, 270-284
Huron River, 268-269
Human annoyance factor, 241-242
Hunt Creek, 35-51
Hunter, R. P., 14-17
Hyallela, 137-144, 276-278, 283
Hydracarina, 56-62
Hymenoptera, 141-142

I

Ichthyopthirius multifilis, 234
Impoundment; effect on fishing intensity, 103-107
Injections for vitamin deficiency, 30-34
In Memoriam, 18
Inorganic fertilizers, 97, 224
Insects (see under order or genus)
Instructions for preparing manuscripts, 309-312
Intensity, catch per unit, 212-219
fishing, 246-256
Isogenus frontalis, 36

J

James, M. C., 21-24
Jobes, Frank W., 108-135
Johnson, Harry (In Memoriam), 18
Jones, Warren H., 257-262

K

King, Willis, 204-211
Kinney Cameron Lakes, 208

L

Lake (see under proper name)
Lake Michigan, 108-135
Larix laricina, 37
Laurel Creek, 154
Laying mash, 97-102
Leach, Glen C. (Biography), 21-24
(In Memoriam), 18
Leeches, 56-62, 278-279, 283
Lee's phenomenon, 118
Length frequency; brook trout, 40-41
Reighard's chub, 116-118
Lenght-weight relationship, 123-130, 259-261
Leonard, Justin W., 35-51
Lepisosteidae
Lepisosteus osseus oxyurus, 187-196
Lepomis cyanellus, 178-186, 270
gibbosus, 178-186
macrochirus, 63-67, 77, 99-102, 178-186, 204-211, 270-284
Leptodora, 137-144
Lethal time; rotenone, 274
Leucichthys alpenae, 109
hoyi, 109
johannae, 109
kiyi, 109
nigripinnis, 109
reighardi, 108-135
zenithicus, 109
Leuctra sp., 228
Lime, as fertilizer, 228
Limnology, Third Sister Lake, 270-272
Liver, pork; in diet, 30-31
Long Lake, population studies, 187-196
Looking-glass Creek, 154
Lyman, F. Earle, 52-62

M

Management, artificial lakes, 204-211
trout streams, 151-176
Manuscripts, instructions for preparing, 309-312
Marking trout, 157-176
Mayflies, 36-37, 56-62
Meehean, O. Lloyd, 220-230
Members, deceased, 18
list of, 292-308
Merritt, J. M. (In Memoriam), 18
Micropterus dolomieu, 77, 189-196, 197-203, 133-245
salmoides, 197-203 (see also *Huro salmoides*)
Miller, Lawrence F., 212-219, 248-256
Mills River, 154-176
Minnow, fat-head; for forage, 178-186
mud; population study, 194
Molliensia sp., 70
Mooneye, 214-219
Morone americana, 136-144
Morphometry; charrs, 79-91
Morton, W. Markham, 79-91
Mud minnow, 270
Mystrophora americana, 36

N

Najas flexilis, 136
Natural propagation; smallmouth black bass, 233-245
Nematoda, 56-62
Nemoura sp., 37
Notemigonus crysoleucas, 101-102, 178-186, 208, 270
Notropis cornutus, 178-186, 270
heterodon, 178-186, 270
heterolepis, 178-186, 270
Nuphar advena, 279

O

Octomitus in rainbow trout, 30-31
O'Donnell, D. John, 187-196
Officers, list of, 3
Oligochaeta, 56-62
Organic fertilizer, 97-102, 225-226
Osmeridae
Osmerus mordax, 257-262
Ostracoda, 141

P

Pancreatic cells of fishes, 263-266
Parasites, protozoan, 234
of black bass, 197-203
Paraleptophlebia mollis, 36
praepedita, 36
Peanut meal, 97-102
Perca flavescens, 77, 137, 187-196
Perch, yellow, 77, 137
population study, 187-196
white; feeding habits, 136-144
Percidae
Perca flavescens, 77, 137, 187-196
Stizostedion vitreum vitreum, 187-196
Peridinium, 276
Physa, 278-279, 283

Pickerel, chain, 208
mud, 270
population study, 178-186
Pickwick Reservoir, 246-256
Pike, gar; population study, 187-196
northern, 263-266
population study, 187-196
walleyed; population study, 187-196
Pimephales promelas, 194
Piney River, 107
Pisgah Game Preserve, 151-176
National Forest; stream management, 15-176
Planorbis, 278-279, 283
Planting fish (see Stocking)
Plecoptera, 57-62
Allocapnia torontoensis, 37
Capnia manitoba, 36
Isogenus frontalis, 36
Leuctra sp., 37
Nemoura sp., 37
Poecilichthys exilis, 178-186, 270
Poeciliidae
Fundulus sp., 70
Gambusia sp., 67, 70
Mollienisia sp., 70
Poecilichthys exilis, 178-186, 270
Poisoning, for population study, 177-186
Pomoxis nigro-maculatus, 187-196
Pond, fertilization, 64-65, 97-102
measuring production, 220-232
survival in, 221-223
Poplar Creek, 155
Population studies, 177-186, 187-196
trout stream, 35-51
Populus tremuloides, 37
Pork melts, in diet, 30-31
Potamageton amplifolius, 279
natans, 279
Potomac River, 234-245
Watershed, 234
Presidents, past, 6-7
Production; measuring in ponds, 220-232
per acre, 184-185
Productivity; fertilized ponds, 224-226
trout stream, 35-51
Protozoa
Ichthyopthirius multifilis, 234
Scyphidia amoebae, 198
annulata, 198
micropteri, 197-203
rhizopoda, 198
tholiformis, 197-203
Trichodona, 197
Trichophyra micropteri, 234
Pumpkinseed (see under Sunfish)

R

Rays, 263-266
Recoveries; stocked trout, 160-166
Redhorse, 214-219
Red lake charr; taxonomy and habits, 87-88
Report of the president, 13-14
River (see under proper name)
Rock bass, growth rate, 72-78
Rock Island Dam, 25-29
Rotenone, 42
in population study, 177-186, 187-196, 267-284
method of use, 268-269
Roundworms, 56-62
Ryan, C. D. (In Memoriam), 18

S

Salmon, chinook, 25-29
Salmonidae, 263-266
Salmo clarkii, 145-149
gairdnerii, 92-96
irideus, 30-34, 151-176
trutta, 151-176
Salvelinus alpinus, 79-91
fontinalis, 37-51, 92-96, 151-176, 264-266
malma, 79-91
Salvage, anadromous fishes, 25-29
Sampler, for fry, 236
Surber, 53-55
Sampling method, 246-256
Sandhills Wildlife Management Area, 204-211
Sauger, 214-219
Savings gear, 257-262
Schneberger, Edward, 92-96
Scyphidia amoebae, 198
annulata, 198
micropteri, 197-203
rhizopoda, 198
tholiformis, 197-203
Secretary, report, 14-17
Sex ratio; Reighard's chub, 130-132
smelt, 259-261
Sexual dimorphism, smelt, 259-261
Shark, dogfish, 264-266
Sharks, 263-266
Shenandoah River, 234-245
Sherwood Wildlife Area, 151-176
Shetter, David S., 35-51
Shiner, black-chinned, 270
population study, 178-186
black-nosed, 270
population study, 178-186
common, 270
population study, 178-186
golden, 208, 270
population study, 178-186
Shiras, George, 3d, (In Memoriam), 18
Shuck Creek, 154
Sialidae, 56-62
Sialis, 141
Skates, 263-266
Slaterock Creek, 155
Smelt, 257-262
Smith, Charles G., 212-219
Smith, E. V., 63-67, 97-107
Snails, 278-279, 283
Soybean meal, 99-102
Spawning habits; charrs, 86-89
Reighard's chub, 132-134
smallmouth black bass, 235-236
Squalidae
Squalus acanthias, 264-266
Standing crop of fishes, 187-196
Stizostedion vitreum vitreum, 187-196
Stocking; artificial lakes, 204-211
excess, 166-172
legal-sized trout, 165-166
results; brook trout, 92-96
rainbow trout, 92-96
trout, 159-176
seasonal, 160-166
Stoneflies, 36-37, 57-62
Stream management; Pisgah Forest, 150-176
Sucker, chub, 270
population study, 178-186
common; population study, 178-186, 190-196
hog, 214-219
redhorse, 214-219

Sunfish, bluegill, 214-219, 270-284
creel census, 204-211
management, 204-211
population study, 178-186
survival, 63-67
green, 270
population study, 178-186
long-eared, 214-219
pumpkinseed, 178-186
Surber, Eugene W., 197-203, 233-245
Surber sampler, 53-55
Survival, bluegills, 63-67
in ponds
largemouth bass, 63-67
percentage of, 47-48
Superphosphate, 97-102
Swingle, H. S., 63-67, 97-107
Syncytium, 265

T

Tadpole, 283
Tagging fish, 208-211
Tamarack, 37
Tanytarsus, 137-144
Tarzwell, Clarence M., 246-256
Taxonomy of charrs, 79-91
Technique: for zymogen granules, 264-265
Temperature and fry production, 240-241
Tennessee River, 52-62, 103-107
Valley Authority, 103-107
reservoirs; fishing intensity, 264-256
Thiamin chloride, injections, 30-34
deficiency in trout, 30-34
Third Sister Lake, 177-186, 267-284
Thompson Creek, 155
Thuja occidentalis, 37
Trap net, 257-262
Treasurer, report, 14-17
Trichodona, 197
Trichoptera, 56-62, 141, 278-279, 283
Trichophrya micropteri, 234
Troughs, effect of covering, 145-149
Trout, brook, 264-266
age and growth, 44-48
management, 151-176
stocking results, 92-96
brown; fin regeneration, 231-232
management, 151-176
cutthroat, 145-149
rainbow; management, 151-176
stocking results, 92-96
vitamin deficiency, 30-34
steelhead, 25-29
True flies, 56-62
Tryon, C. A., Jr., 145-149
Turbellaria, 57-62

U

Umbridae
Umbra limi, 178-186, 270

V

Vallisneria spiralis, 136
Van Oosten, John, 13-14
Vaucheria sp., 37
Velocity, determination of, 36
Veronica connata, 37
Viosca, Percy, Jr., 68-71
Vitamin deficiency in trout, 30-34

W

Warfel, Herbert E., 257-262
Water mites, 56-62
Watts Bar Reservoir, 52-62, 103-107
production, 212-219
Webster, Dwight A., 136-144
Weight, gain in; hatchery fish, 145-149
per day, 220-232
growth in, 75-78
-length relationship, 123-130, 259-261
Reighard's chub, 123-130
West Twin Lake, 187-196
Wheeler Reservoir, 246-256
White Creek, 107
Williamson, Lyman C., 92-96
Wilson Reservoir, 107, 246-256
Woodbury, Lowell A., 30-34

Y

Yeast, brewers, in diet, 34
Yield, trout stream, 95-96

Z

Zygoptera, 56-62, 283
Zymogen granules in fishes, 263-266